UNCLASSIFIED

AD 4 2 2 8 2 4

DEFENSE DOCUMENTATION CENTER

FOR

SCIENTIFIC AND TECHNICAL INFORMATION

CAMERON STATION. ALEXANDRIA. VIRGINIA



UNCLASSIFIED


NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

139 Det

DDC FILE COPY

NOV15, 1963

(5)739 200



-7he RAMD Corporation
SANTA MONICA



Offset Circle Probability Function: We consider the function

$$q(R,x) = \int_{R}^{\infty} e^{-\frac{1}{2}(f^2+x^2)} I_0(fx) f df$$

in which $I_o(z)$ is the usual Bessel function.

To better than .0017 over (0,2),

$$q(2,x) = .135 + .566 \left(\frac{x}{2}\right)^2 - .096 \left(\frac{x}{2}\right)^4$$

Offset Circle Probability Function: We consider the function

$$q(R,x) = \int_{R}^{\infty} e^{-\frac{1}{2}(f^2+x^2)} I_0(f^2x) f d$$

in which $I_o(z)$ is the usual Bessel function.

To better than .0008 over (0,3),

$$q(3,x) = .011 + .231 \left(\frac{x}{3}\right)^2 + .654 \left(\frac{x}{3}\right)^4 - .329 \left(\frac{x}{3}\right)^6$$

Offset Circle Probability Function: We consider the function

$$q(R,x) = \int_{R}^{\infty} e^{-\frac{1}{2}(\int_{R}^{2} x^{2})} I_{o}(\int_{R} x) \int_{R} d \int_{R}^{\infty} \frac{1}{2} \int_{R}^{\infty}$$

in which $I_o(z)$ is the usual Bessel function.

To better than .0011 over $(1, \infty)$,

$$q(R,R) = \frac{R + .183}{2R - .388}$$

Offset Circle Probability Function: We consider the function

$$q(R,x) = \int_{R}^{\infty} e^{-\frac{1}{2}(\int_{R}^{2} x^{2})} I_{o}(\int_{R}^{2} x) \int_{R}^{d} f$$

in which I o(z) is the usual Bessel function.

To better than .0004 over (0,1),

$$q(R,R) = \frac{1}{2} \left\{ 1 + e^{-R^2} I_o(R^2) \right\}$$

$$= 1 - .4921R^2 + .3212R^4 - .0966R^6.$$

Offset Circle Probability Function: We consider the function

$$= q(R,x) = \int_{R}^{\infty} e^{-\frac{1}{2}(\int^{2} + x^{2})} I_{0}(\int x) \int d \int$$

in which $I_o(z)$ is the usual Bessel function.

To better than .0013 over (0,4),

$$q(4,4-y) \doteq \frac{.551}{\left[1 + .187y + .055y^2 + .051y^3\right]^4}$$